

LED line LITE

Code: 470317

EAN: 5907777470317

LED bulb E27 3000K 1W 80lm 230V 270°
G45 PC LITE



LED line bulb LITE E27 1W 3000K is a modern light source with a very low energy consumption. It emits a warm light with a brightness of 80 lumens, perfectly fitting into different interior arrangements. A lighting angle of 270° ensures a uniform scattering of light, which increases comfort of use. Thanks to the durability of up to 50,000 hours and energy efficiency of 80 lm/W, it is an excellent choice for everyday use.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	G
Warranty	3
Power	• 1 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	80
Luminous flux	80 lm
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	270 °
Lifespan	50 000 h
Power Factor	0,4
Number of on/off cycles	50000
Ambient temperature suitable for operation	-5÷40
For indoor use	Inside
Height	69 mm
Material (housing)	Polycarbonate


LED line LITE

Code: 470317

EAN: 5907777470317

LED bulb E27 3000K 1W 80lm 230V 270°
G45 PC LITE

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Quantity	1
Width	1520 mm
Height	36 mm
Length	36 mm
Weight	0,02 kg



Bulk packaging

Quantity	100
Width	580 mm
Height	255 mm
Length	175 mm
Volume	0,025 m3
Weight	2 kg
Comments	



Europallet

Quantity	7200
Height	1,90 m
Quantity in layer	600
Number of layers	12
Bulk quantity	72
Weight	180 kg

LED line LITE

Code: 470317

EAN: 5907777470317

**LED bulb E27 3000K 1W 80lm 230V 270°
G45 PC LITE**

Example application