

LED line PRIME

Code: 245442

EAN: 5901583245442

LED line downlight waterproof round
die cast aluminium satin

The waterproof LED line Prime is a unique combination of modern design and functionality. It has an mounting diameter of 83 mm and the use of high quality matt glass in a lamp, embedded in a durable aluminium casting. The distinguishing feature is the elegant satin coating, which emphasizes aesthetics. Thanks to the IP44 protection class, the housing is resistant to moisture and dust, making it ideal for versatile installations.



Technical data

Parameter	Value
Warranty	5
IEC protection class	III
Maximum suitable lamp power	35 W
Fixture's diameter	83
Lamp's diameter	50 mm
Type of surface suitable for installation	F

Parameter	Value
Distance from illuminated surface	0.5 m
Installation method	recessed
Mounting hole diameter	73
Colour	satin
Material (housing)	Aluminum casting
Material (cover)	frosted glass


LED line PRIME

Code: 245442

EAN: 5901583245442


**LED line downlight waterproof round
die cast aluminium satin**

Technical drawing




Light distribution


Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

LED line PRIME

Code: 245442

EAN: 5901583245442

**LED line downlight waterproof round
die cast aluminium satin**

Example application