

LED line PRIME Code: 217577 EAN: 5905378217577

Suntis Solar Wall Light 3000K 170lm 2Ah USB-C Round IP54 Black PRIME



New

Solar facade Suntis from LED line PRIME is a modern lighting solution that combines performance and aesthetics. It emits a pleasant, warm light with a colour temperature of 3000 K, reaching 170 lm.

Powered by Li-Ion 3.7V 2000mAh, it provides up to 6 hours of operation after charging. IP54 leak class guarantees resistance to water and dust.









Technical data

Parameter	Value
Warranty	5
Voltage	• 3.7 V DC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP54
IK protection rating	06
IEC protection class	III
Luminous flux	170
Lifetime L70B50	30 000 h


Parameter	Value
Wyniki tłumaczenia Functional description of the daylight sensor [LUX]	50 lx-ON
Type of battery	LI-Ion 3.7V 2000mAh 18650
Beam angle	180
LED quantity	40
Lifespan	35 000 h
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Outside
Material (housing)	ABS



LED line PRIME Code: 217577 EAN: 5905378217577

Suntis Solar Wall Light 3000K 170lm 2Ah USB-C Round IP54 Black PRIME

Technical drawing



Light distribution

Additional product photos












Logistics data







Single packaging

Bulk packaging

Europallet



LED line PRIME Code: 217577 EAN: 5905378217577

Suntis Solar Wall Light 3000K 170lm 2Ah USB-C Round IP54 Black PRIME

Example application

