

LED line LITE


Code: 203815

EAN: 5905378203815

LED line LITE Road luminaire FLAMINGO  
30W 4000K 3000lm black



FLAMINGO 30W road luminaire from LITE LED line is an efficient light source with a luminous flux of 3000 lumens and a colour of 4000K, ideal for external applications. It is characterized by a solid aluminium casting housing, providing resistance to atmospheric conditions and mechanical damage (IP65). Thanks to the slim construction and the possibility of mounting on a pole or wall, the frame guarantees flexibility and simplicity of the installation.



Technical data

Parameter	Value	Parameter	Value
ULOR	0 %	Colour	Black
Voltage	• 220-240 V AC	The lumen maintenance factor	96
Colour of the light	White	Beam angle	140 x 70
Energy efficiency class 2019/2015	E	Material (cover)	polycarbonate
Luminous flux	3000	LED type	SMD LED
Colour consistency in McAdam ellipses	≤6	LED quantity	48
Warranty (years)	3	Power Factor	0,9
Survival factor	0.9	Colour consistency in McAdam ellipses	≤6
Lifetime L70B50	25 000 h	Ambient temperature suitable for operation	-25÷50
Wire length	300 mm	IEC protection class	I
Mounting type	mixed	Lamp's warm-up time to 60%	1 s
Frequency of the supply voltage	50/60Hz	Correlated colour temperature	• 4000 K
Colour rendering index Ra	80	Power	• 30 W

LED line LITE


Code: 203815

EAN: 5905378203815

**LED line LITE Road luminaire FLAMINGO  
30W 4000K 3000lm black**

**Technical drawing**


**Light distribution**




**Additional product photos**




**Logistics data**



**Single packaging**



**Bulk packaging**



**Europallet**

---

LED line LITE

Code: 203815

EAN: 5905378203815

**LED line LITE Road luminaire FLAMINGO  
30W 4000K 3000lm black**

---

**Example application**