


**LEDOM ES111 9W 3000K 850lm 175-265V
white**

Beam angle



Ambient temperature suitable for operation



Voltage range and voltage type




Lifespan

Parameter	Value
Luminous efficacy	95 lm/W
Power	9 W
Colour of the light	White
Energy efficiency class 2019/2015	F
Luminous flux	850 lm
Correlated colour temperature	3000 K
Colour consistency in McAdam ellipses	≤6
Warranty (years)	2
Survival factor	0.9
Lifetime L70B50	50 000
Supply voltage range and voltage type	175-265 VAC
Frequency of the supply voltage	50/60Hz

Parameter	Value
Colour rendering index Ra	80
The lumen maintenance factor	96 %
Lamp's diameter	111
Beam angle	120 °
Lifespan	50000
Power Factor	0,5
Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6
Ambient temperature suitable for operation	-20÷40 °C
For indoor use	Inside
Height	58 mm
Energy class	A+

Single packaging



Width	113
Height	62
Length	114
Weight	0,1
	1

Bulk packaging



Number of pieces/tape in meters pack zb	50
Width	240
Height of collective packaging	330
Length	595
Weight	6
Volume	0,047

Europallet



Number of pieces/tapes in meters euro pallet	
Quantity collective euro pallet	24
Weight of a euro pallet	144
Pallet height	1464
Quantity in 1 layer	6
Number of layers	4