MORE EFFICIENCY FOR THE LED WORLD

LE**D** line

LED line PRIME

LED line PRIME LED strip 320 COB 24V 4000K 5W 30m

-

Code: 211100

EAN: 5905378211100



LED LED line PRIME 320 COB 30 m long and colour temperature 4000 K is a modern and efficient lighting solution. Powered by 24 V DC, it takes a power of 5 W per metre, which translates into a total luminous flux of 500 lm. Thanks to the use of COB technology, it provides high light performance with a value of 100 lm/W and a colour rendering coefficient of 90 Ra.



CE

Tech	nical	data
1001	ncar	uata

Voltage • 24 V DC Luminous efficacy 100	
5	
Colour of the light White	
Energy efficiency class 2019/2015 F	
Colour consistency in McAdam ellipses ≤3	
Warranty (years) 5	
IP protection rating IP20	
Dimmable function PWM	
Survival factor 0.9	
Minimum purchase quantity 30	
Lifetime L70B50 50 000 h	
Wire length 200 mm	
Wattage (Im) 5	
Luminous flux (1m) 500	
Current (Im) 0,20	
Colour rendering index Ra 90	
Metres per roll 30 m	

Parameter	Value
The lumen maintenance factor	96
Beam angle	180
LED type	СОВ
LED quantity	1600
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	2
LED quantity (Im)	320
Cutting section	5 cm
Type of adhesive tape	3M 300 LSE
Colour consistency in McAdam ellipses	≤3
Ambient temperature suitable for operation	`-30 ÷ 45
For indoor use	Inside
IEC protection class	III
Correlated colour temperature	• 4000 K
Power	• 5W/m

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME


Code: 211100

EAN: 5905378211100

LED line PRIME LED strip 320 COB 24V 4000K 5W 30m

Technical drawing


Light distribution




Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Code: 211100

EAN: 5905378211100

LED line PRIME LED strip 320 COB 24V 4000K 5W 30m

Example application