

LED line LITE Code: 478283 EAN: 5907777478283

CEILING FITTING surface-mounted GU10 round IP20 white LITE



The PIPE GU10 white LED line cap housing is an elegant lighting element, made of aluminium and powder painted, which provides resistance to damage. Thanks to the possibility to adjust the lighting angle to 180° in the horizontal axis and 330° rotation, it allows precise aiming of the light. The housing is compatible with GU10 bulbs with a maximum power of 10W, which makes it perfect for modern interior arrangements.









Technical data

Parameter	Value
Warranty	3
IP protection rating	IP20
IK protection rating	02
IEC protection class	1
Maximum suitable lamp power	10 W
Lamp's type	GU10
X-axis angle regulation	330
Y-axis angle regulation	180
For indoor use	Inside


Parameter	Value
Type of surface suitable for installation	F
Distance from illuminated surface	0.5 m
Installation method	surface
Height	85
Lamp's diameter	50 mm
Fixture's diameter	55
Colour	White
Material (housing)	Aluminium



LED line LITE Code: 478283 EAN: 5907777478283

CEILING FITTING surface-mounted GU10 round IP20 white LITE

Technical drawing



Light distribution


Additional product photos









Logistics data







Single packaging

Quantity	1
Width	70 mm
Height	160 mm
Length	70 mm
Weight	0,22 kg

Bulk packaging

Quantity	50
Width	370 mm
Height	340 mm
Length	370 mm
Volume	0 m3
Weight	11.35 ka

Europallet

Quantity	1400
Height	1800 mm
Quantity in layer	7
Number of layers	4
Bulk quantity	28
Weight	383,6 kg



LED line LITE Code: 478283 EAN: 5907777478283

CEILING FITTING surface-mounted GU10 round IP20 white LITE

Example application

