

LED line PRIME

Code: 210202

EAN: 5905378210202

Waterproof fixture RANGER 10-40W CCT
6000lm 120cm PRIME

New



Technical data

Parameter	Value	Parameter	Value
Luminous efficacy	150 lm/W	LED type	SMD2835
Colour of the light	White	LED quantity	312
Energy efficiency class 2019/2015	D	Power Factor	0,9
Luminous flux	6000 lm	Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6	Colour consistency in McAdam ellipses	≤6
IP protection rating	IP66	Ambient temperature suitable for operation	-25÷45 °C
Warranty (years)	5	For indoor and outdoor use	YES
Survival factor	0.9	IEC protection class	II
Lifetime L70B50	100 000	IK protection rating	10
Weight	1410 g	Full box quantity	12 pc
Frequency of the supply voltage	50/60Hz	Lamp's warm-up time to 60%	1
Colour rendering index Ra	80	Length	1210 mm
Colour	Grey	Width	79 mm
The lumen maintenance factor	96 %	Height	68 mm
Beam angle	120 °	Power	• 10-40 W
Material (cover)	polycarbonate	Voltage	• 220-240 V AC
Material (housing)	Polycarbonate	Correlated colour temperature	• 3000 K • 4000 K • 5000 K

LED line PRIME


Code: 210202

EAN: 5905378210202



Waterproof fixture RANGER 10-40W CCT
6000lm 120cm PRIME

Dimensions


Light distribution




Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

Number of pieces/tape in meters pack zb 12

LED line PRIME

Code: 210202

EAN: 5905378210202

**Waterproof fixture RANGER 10-40W CCT
6000lm 120cm PRIME**

Example application