

LED line PRIME

Code: 209626

EAN: 5905378209626

**LED bulb GU10 3000K 7W 1000lm 230V
120° Ceramic PRIME**



LED bulb GU10 LED line PRIME with a power of 7 W and light colour temperature 3000 K emits a pleasant, warm light with a total luminous flux of 1000 lm. It works in the voltage range of 170 to 250 V AC, making it versatile in application. It is characterized by a high light efficiency of 142 lm/W and a long shelf life of L70B50 to 30,000 hours. It has an energy class D and a stream conservation factor of 96%.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 7 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	142
Luminous flux	1000 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h

Parameter	Value
Survival factor	0,9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	120 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Height	55 mm
Material (housing)	Ceramics


LED line PRIME

Code: 209626

EAN: 5905378209626

**LED bulb GU10 3000K 7W 1000lm 230V
120° Ceramic PRIME**

Technical drawing



Light distribution

Additional product photos




Logistics data




Single packaging

Quantity	
Width	35 mm
Height	42 mm
Length	35 mm
Weight	0,064 kg



Bulk packaging

Quantity	100
Width	280 mm
Height	155 mm
Length	575 mm
Volume	0,024 m3
Weight	7 kg



Europallet

Height	1860 mm
Quantity in layer	6000
Number of layers	
Bulk quantity	60
Weight	450 kg

LED line PRIME

Code: 209626

EAN: 5905378209626

**LED bulb GU10 3000K 7W 1000lm 230V
120° Ceramic PRIME**

Example application

