

LED line PRIME

Code: 209626

EAN: 5905378209626

LED bulb GU10 7W 3000K 1000lm 170-250V

product_card.label_new



product_card.label_technical_data

Parameter	Value
Luminous efficacy	142 lm/W
Colour of the light	White
Energy efficiency class 2019/2015	D
Luminous flux	1000 lm
Colour consistency in McAdam ellipses	≤6
IP protection rating	IP20
Warranty (years)	5
Number of sockets (number of ropes)	Ceramic
Survival factor	0,9
Lifetime L70B50	30 000
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
The lumen maintenance factor	96 %
Lamp's diameter	50

Parameter	Value
Beam angle	120 °
Material (housing)	Ceramic
LED type	SMD2835
Lifespan	30000
Power Factor	0,5
Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6
For indoor use	Inside
Full box quantity	100 pc
Lamp's warm-up time to 60%	1
Height	55 mm
Power	• 7 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 3000 K

LED line PRIME

Code: 209626

EAN: 5905378209626


LED bulb GU10 7W 3000K 1000lm 170-250V

product_card.label_dimensions

product_card.label_curve_light


product_card.label_product_gallery

product_card.label_logistic_data




Single packaging

Width	35 mm
Height	42 mm mm
Length	35 mm mm
Weight	0,06 kg kg



Bulk packaging

Number of pieces/tape in meters pack zb	100 szt.
Width	575 mm mm
Height of collective packaging	155 mm
Length	280 mm mm
Weight	7 kg kg
Volume	0,024 m3 m3



Europallet

Quantity collective euro pallet	4800 szt.
Weight of a euro pallet	336 kg
Pallet height	1860 mm
Quantity in 1 layer	400 szt.
Number of layers	12

LED line PRIME

Code: 209626

EAN: 5905378209626

LED bulb GU10 7W 3000K 1000lm 170-250V

Example application