MORE EFFICIENCY FOR THE LED WORLD

LEDline

LED line LITE

LED line® G9 6W 4000K 550lm 220-240V





EAN: 5901583245954



LED bulb G9 6W 4000K 550Im from LED line LITE is an efficient light source, characterized by a light stream of 550 lumens and high efficiency of 92 Im/W. At 4000 K colour temperature, it emits neutral white light, ideal for a variety of interiors. Ra \geq 80 color reproduction factor provides excellent color rendering.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Energy class	A+
Warranty	3
Power	• 6W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	92
Luminous flux	550
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9

|--|

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Fixture's diameter	16 mm
Beam angle	270
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	ls
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Colour	white
Material (housing)	Ceramics

MORE EFFICIENCY FOR THE LED WORLD



LED line LITE

Code: 245954


EAN: 5901583245954

LED line® G9 6W 4000K 550lm 220-240V


Technical drawing




Light distribution




Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

MORE EFFICIENCY FOR THE LED WORLD



LED line LITE

Code: 245954

EAN: 5901583245954

LED line® G9 6W 4000K 550lm 220-240V

Example application