

LED line PRIME

Code: 221253

EAN: 5905378221253

**T-connector for LUMICANTO
POWERTRACK busway left black with
power supply PRIME**

New

T-connector for LUMICANTO busway left in white or black color, with PRIME power supply, is an innovative solution with high-quality workmanship. It was designed with easy integration in lighting systems in mind. Thanks to the use of materials resistant to weather conditions and IP20 protection class, it ensures long-term functionality in various conditions. Its electrical parameters include operating voltage 220-240V DC and rated current 16A.



Technical data

Parameter	Value
Warranty	5/7*
Voltage	• 220-240 V AC
IP protection rating	IP20
IEC protection class	I
Frequency of the supply voltage	50/60Hz

Parameter	Value
Ambient temperature suitable for operation	-5 ÷ 40
For indoor use	Inside
Height	32 mm
Power supply connection	yes
Material (housing)	Plastic


LED line PRIME

Code: 221253

EAN: 5905378221253

**T-connector for LUMICANTO
POWERTRACK busway left black with
power supply PRIME**



Technical drawing



Light distribution

Additional product photos

Logistics data



Single packaging

Width	160 mm
Height	30 mm
Length	100 mm
Weight	0,16 kg

Bulk packaging

Quantity	50
Width	250 mm
Height	200 mm
Length	300 mm
Weight	7,35 kg

Europallet

Quantity	4500
Height	1700 mm
Quantity in layer	18
Number of layers	5
Bulk quantity	90
Weight	695 kg

LED line PRIME

Code: 221253

EAN: 5905378221253

**T-connector for LUMICANTO
POWERTRACK busway left black with
power supply PRIME**

Example application