

LED line PRIME

Code: 201910

EAN: 5905378201910

**LED bulb MR16 4000K 5W 600lm 10-18V
AC/DC 120° GU5,3 Ceramic PRIME**



LED bulb MR16 5W 4000K 600lm from LED line PRIME is an innovative light source that stands out for high light performance of 120 lm/W. Its neutral colour of light with a temperature of 4000 K creates a natural atmosphere in every interior. Powered by AC/DC voltage from 10 to 18V, it ensures stable operation. Life expectancy is as much as 30,000 hours while maintaining a 96% light stream.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	5
Power	• 5 W
Voltage	• 10-18 V AC/DC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	120
Luminous flux	600 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	MR16
Beam angle	120 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-5+40
For indoor use	Inside
Height	50 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics


LED line PRIME

Code: 201910


EAN: 5905378201910

**LED bulb MR16 4000K 5W 600lm 10-18V
AC/DC 120° GU5,3 Ceramic PRIME**


Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	50 mm
Height	60 mm
Length	50 mm
Weight	0,06 kg

Bulk packaging

Quantity	100
Width	280 mm
Height	145 mm
Length	575 mm
Volume	0,023 m3
Weight	7 kg

Europallet

Quantity	5200
Height	1950 mm
Quantity in layer	
Number of layers	
Bulk quantity	52
Weight	390 kg

LED line PRIME

Code: 201910

EAN: 5905378201910

**LED bulb MR16 4000K 5W 600lm 10-18V
AC/DC 120° GU5,3 Ceramic PRIME**

Example application

