

LED line PRIME


Code: 201736

EAN: 5905378201736

**LED bulb E14 4000K 7W 1000lm 230V
220° G45 Ceramic PRIME**



LED bulb E14 7W 4000K 1000lm G45 LED line PRIME is an example of modern lighting technology. It is characterized by a high luminous efficiency of 142 lm/W and a light stream of 1000 lumens. The light colour temperature is 4000 K, which provides visual comfort. The product is distinguished by a solid ceramic housing and glass lens, and its service life reaches 30,000 hours.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 7 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	142
Luminous flux	1000 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Lamp's type	G45
Beam angle	220 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	84
Fixture's diameter	45 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics
Material (cover)	glass


LED line PRIME

Code: 201736

EAN: 5905378201736

**LED bulb E14 4000K 7W 1000lm 230V
220° G45 Ceramic PRIME**

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Quantity	1
Width	47 mm
Height	125 mm
Length	47 mm
Weight	0,06 kg



Bulk packaging

Quantity	100
Width	270 mm
Height	230 mm
Length	530 mm
Volume	0,032 m3
Weight	7 kg



Europallet

Height	1840 mm
Quantity in layer	400
Number of layers	8
Bulk quantity	3200
Weight	224 kg

LED line PRIME

Code: 201736

EAN: 5905378201736

**LED bulb E14 4000K 7W 1000lm 230V
220° G45 Ceramic PRIME**

Example application