

LED line PRIME

Code: 248597-II

EAN: 5905378201521

**LED bulb GU10 4000K 10W 1400lm 230V
120° Ceramic PRIME**



LED bulb GU10 10W 4000K from LED line PRIME is an innovative light source with a luminous flux of 1400 lumens, providing performance of 140 lm/W and eye-friendly colour temperature 4000 K. Thanks to ceramics as the main material of the housing, it is characterized by excellent heat drainage and longevity up to 30,000 hours. At the power factor PF = 0,5 is economical in use.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 10 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	140
Luminous flux	1400 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Bulb thread type	GU10
Frequency of the supply voltage	50/60Hz
Lamp's type	GU10
Beam angle	120 °
LED type	SMD2835
Power Factor	>=0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Height	55 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics


LED line PRIME

Code: 248597-II


EAN: 5905378201521

**LED bulb GU10 4000K 10W 1400lm 230V
120° Ceramic PRIME**

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	50 mm
Height	63 mm
Length	50 mm
Weight	0,07 kg

Bulk packaging

Quantity	100
Width	280 mm
Height	155 mm
Length	575 mm
Volume	0,024 m3
Weight	7 kg

Europallet

Quantity	5600
Height	1,8 m
Quantity in layer	700
Number of layers	8
Bulk quantity	56
Weight	392 kg

LED line PRIME

Code: 248597-II

EAN: 5905378201521

**LED bulb GU10 4000K 10W 1400lm 230V
120° Ceramic PRIME**

Example application

