

LED line PRIME

Code: 248597-II

EAN: 5905378201521

LED line PRIME żarówka LED GU10 10W
4000K 1400lm 170-250V



product_card.label_technical_data

Parameter	Value
Luminous efficacy	140 lm/W
Colour of the light	White
Energy efficiency class 2019/2015	D
Luminous flux	1400 lm
Colour consistency in McAdam ellipses	≤6
IP protection rating	IP20
Warranty (years)	5
Survival factor	0.9
Lifetime L70B50	30 000
Material	Ceramic
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	White
The lumen maintenance factor	96 %
Lamp's type	GU10

Parameter	Value
Lamp's diameter	50
Beam angle	120 °
Material (housing)	Ceramic
LED type	SMD2835
Lifespan	30000
Power Factor	0,5
Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6
For indoor use	Inside
Full box quantity	100 pc
Lamp's warm-up time to 60%	1
Height	55 mm
Power	10 W
Voltage	170-250 V AC
Correlated colour temperature	4000 K

LED line PRIME

Code: 248597-II

EAN: 5905378201521


LED line PRIME żarówka LED GU10 10W
4000K 1400lm 170-250V

product_card.label_dimensions

product_card.label_curve_light


product_card.label_product_gallery

product_card.label_logistic_data




Single packaging

Width	50 mm
Height	63 mm mm
Length	50 mm mm
Weight	0,06 kg kg
	1



Bulk packaging

Number of pieces/tape in meters	100 szt.
pack zb	
Width	575 mm mm
Height of collective packaging	155 mm
Length	280 mm mm
Weight	7 kg kg
Volume	0,024 m3 m3



Europallet

Quantity collective euro pallet	4800 szt.
Weight of a euro pallet	336 kg kg
Pallet height	1860 mm
Quantity in 1 layer	400 szt.
Number of layers	12

LED line PRIME

Code: 248597-II

EAN: 5905378201521

**LED line PRIME żarówka LED GU10 10W
4000K 1400lm 170-250V**

Example application