LED line LITE

Code: 247293

EAN: 5901583247293

LED bulb SMD 4000K 5W 400lm 230V 110° INSERT fi50mm Ceramic PRIME



LED line SMD 5W is a modern lamp with a power of 5 W, providing a luminous flux of 400 lm at a color temperature of 4000 K. It operates in the voltage range of 220 to 260 V AC, making it compatible with standard electrical installations. Thanks to the use of SMD2835 diodes and a high luminous efficiency of 80 lm/W, the emitted light is bright and energy-efficient.

5 WARRANTY

IP 20

ON/OFF 50.000

CE

Technical data

Parameter	Value
Energy efficiency class 2019/2015	G
Warranty	5
Power	• 5 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	80
Luminous flux	400 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Beam angle	110°
LED type	SMD2835
Power Factor	0,4
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	22
Fixture's diameter	50 mm
Colour	white
Material (housing)	Ceramics
Material (cover)	glass

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**


LED line LITE

Code: 247293


EAN: 5901583247293

LED bulb SMD 4000K 5W 400lm 230V 110° INSERT fi50mm Ceramic PRIME

Technical drawing




Light distribution




Additional product photos

Logistics data




Single packaging

Quantity	10
Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,08 kg



Bulk packaging

Quantity	100
Width	290 mm
Height	170 mm
Length	595 mm
Volume	0,029 m3
Weight	7 kg
Comments	



Europallet

Quantity	4500
Height	1870 mm
Quantity in layer	400
Number of layers	11
Bulk quantity	100
Weight	308 kg

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**

LED line LITE

Code: 247293

EAN: 5901583247293

LED bulb SMD 4000K 5W 400lm 230V 110° INSERT fi50mm Ceramic PRIME

Example application

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**