

LED line PRIME

Code: 475459

EAN: 5907777475459

**Backlit Panel 2in1 4000K 30W 3600lm
IP20 30x120cm white Surface-
mounted/Recessed PRIME**



The 30W and 4000K LED line PRIME 2in1 delivers high light performance of 3600 lumens. Thanks to the thickness of only 16 mm, it can be mounted both under the surface and on the surface, which significantly facilitates installation without the need for additional frames. The aluminium and polycarbonate housing guarantees durability and resistance to damage.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	5/7*
Power	• 30 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IK protection rating	02
IEC protection class	II
Luminous efficacy	120
Luminous flux	3600
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Working current	0,145
Frequency of the supply voltage	50/60Hz
Beam angle	120
LGP	PMMA
LED type	JUFEI 4014
LED quantity	266
Power Factor	0,9
Number of on/off cycles	20000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷45
For indoor use	Inside
Installation method	2in1 recessed and surface
Height	16 mm
Colour	White
Material (housing)	Aluminium
Material (cover)	Polycarbonate


LED line PRIME

Code: 475459


EAN: 5907777475459

**Backlit Panel 2in1 4000K 30W 3600lm
IP20 30x120cm white Surface-
mounted/Recessed PRIME**

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	1230 mm
Height	340 mm
Length	25 mm
Weight	2,5 kg

Bulk packaging

Quantity	8
Width	360 mm
Height	225 mm
Length	1265 mm
Volume	0,102 m ³
Weight	20,3 kg

Europallet

Quantity	80
Height	1,90 m
Quantity in layer	80
Number of layers	1
Bulk quantity	10
Weight	228 kg

LED line PRIME

Code: 475459

EAN: 5907777475459

**Backlit Panel 2in1 4000K 30W 3600lm
IP20 30x120cm white Surface-
mounted/Recessed PRIME**

Example application