

LED line PRIME

Code: 201651

EAN: 5905378201651

**LED bulb E14 6500K 7W 1000lm 230V
220° C37 Ceramic PRIME**



LED bulb E14 7W 6500K 1000lm from LED line PRIME is an innovative light source that delivers performance of 142 lm/W. It is characterized by a luminous flux of 1000 lumens and a wide light angle of 220°, allowing even illumination of space. Thanks to the ceramic housing and glass lens, the product is not only aesthetic, but also durable, offering life up to 30,000 hours and as many as 50,000 turn/off cycles.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 7 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	142
Luminous flux	1000 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Lamp's type	C37
Beam angle	220 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	111
Fixture's diameter	37 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics
Material (cover)	glass


LED line PRIME

Code: 201651


EAN: 5905378201651

**LED bulb E14 6500K 7W 1000lm 230V
220° C37 Ceramic PRIME**

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	47 mm
Height	125 mm
Length	47 mm
Weight	0,06 kg

Bulk packaging

Quantity	100
Width	270 mm
Height	255 mm
Length	500 mm
Volume	0,034 m3
Weight	7 kg

Europallet

Height	1890 mm
Quantity in layer	600
Number of layers	7
Bulk quantity	4200
Weight	294 kg

LED line PRIME

Code: 201651

EAN: 5905378201651

**LED bulb E14 6500K 7W 1000lm 230V
220° C37 Ceramic PRIME**

Example application