LED line PRIME

Code: 475930

EAN: 5907777475930

Linear luminaire FUSION 4000K 60W 7800lm 120° IP20 150cm black PRIME PC Cover



LED line mount PRIME FUSION 60W 4000K is an advanced lighting solution offering an impressive light stream of 7800 lm. The technology used provides high light efficiency of 130 lm/W and excellent heat drainage thanks to a solid aluminum structure. The 120° PC Cover holder ensures uniform light distribution. The housing is characterized by IP20 class of tightness and IK08 resistance.

5 WARRANTY | 7* WARRANTY | IP 20 | IK 08 | PF 0,9 | 220-240V AC

Technical data

Parameter	Value
Energy efficiency class 2019/2015	C
Warranty	5/7*
Power	• 60 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IK protection rating	08
IEC protection class	I
Luminous efficacy	130
Luminous flux	7800
The lumen maintenance factor	96
Lifetime L70B50	50 000 h

Parameter	Value
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Sling length	200 cm
Standby power	0
Mounting type	mixed
Frequency of the supply voltage	50/60Hz
Beam angle	120
Power Factor	0,9
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷45
For indoor use	Inside
Height	52 mm

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**

LED line PRIME

Code: 475930

EAN: 5907777475930

Linear luminaire FUSION 4000K 60W 7800lm 120° IP20 150cm black PRIME PC Cover

Technical drawing



Light distribution



Additional product photos





Logistics data







Single packaging

Width	1444 mm
Height	52 mm
Length	70 mm
Weight	2,03 kg

Bulk packaging

Quantity	12
Width	1550 mm
Height	260 mm
Length	260 mm
Volume	0,104 m3
Weight	22,6 kg
Comments	

Europallet

Quantity	144
Height	1,70 m
Quantity in layer	144
Number of layers	1
Bulk quantity	12
Weight	296 kg

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**

LED line PRIME

Code: 475930

EAN: 5907777475930

Linear luminaire FUSION 4000K 60W 7800lm 120° IP20 150cm black PRIME PC Cover

Example application

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**