

LED line PRIME

Code: 221291

EAN: 5905378221291

**Power terminal for LUMICANTO  
POWERTRACK busway right black  
PRIME**

**New**

Power terminal for LUMICANTO busway right white or black is a modern solution with high functionality. It features operating voltage 220-240V AC and rated current 16A, ensuring efficiency and safety of use. The housing made of plastic guarantees durability, and electrical protection class I raises the safety level of the installation.



**Technical data**

Parameter	Value
Warranty	5/7*
Voltage	• 220-240 V AC
IP protection rating	IP20
IEC protection class	I
Frequency of the supply voltage	50/60Hz

Parameter	Value
Ambient temperature suitable for operation	-5 ÷ 40
For indoor use	Inside
Height	33 mm
Power supply connection	yes
Material (housing)	Plastic

LED line PRIME

Code: 221291

EAN: 5905378221291




**Power terminal for LUMICANTO  
POWERTRACK busway right black  
PRIME**

Technical drawing

Light distribution

Additional product photos

**Logistics data**



**Single packaging**

Width	30 mm
Height	100 mm
Length	30 mm
Weight	0,061 kg

**Bulk packaging**

Quantity	100
Width	300 mm
Height	300 mm
Length	300 mm
Weight	5,6 kg

**Europallet**

Quantity	4000
Height	1700 mm
Quantity in layer	8
Number of layers	5
Bulk quantity	40
Weight	260 kg

---

LED line PRIME

Code: 221291

EAN: 5905378221291

**Power terminal for LUMICANTO  
POWERTRACK busway right black  
PRIME**

---

Example application