

LED line PRIME


Code: 479587-AW3HAT

EAN: 5905378212244

**Hermetic luminaire LINKER 4000K 21W
3150lm IP65 60cm gray PRIME
emergency module AW 3h AT**



LINKER 21W from LED line PRIME is a modern lighting solution, providing exceptional light performance of 150 lm/W and a total light stream of 3150 lumens. Its colour of light 4000K guarantees natural color reproduction, which favors visual comfort. IP65 leak class and IK08 resistance ensure reliable operation in difficult weather conditions.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 21 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP65
IK protection rating	08
IEC protection class	I
Luminous efficacy	150
Luminous flux	3150
The lumen maintenance factor	96
Lifetime L70B50	100 000 h
Survival factor	0.9
Dimmable function	PWM

Parameter	Value
Colour consistency in McAdam ellipses	≤6
ULOR	3 %
Emergency module test	Autotest
Operating time in emergency mode	3 h
Frequency of the supply voltage	50/60Hz
Beam angle	120
Lifespan	100 000 h
Power Factor	0,95
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-25 ÷ 45
Height	61 mm
Colour	Grey
Material (housing)	Polycarbonate
Material (cover)	Polycarbonate
Emergency module	• YES

LED line PRIME

Code: 479587-AW3HAT

EAN: 5905378212244

**Hermetic luminaire LINKER 4000K 21W
3150lm IP65 60cm gray PRIME
emergency module AW 3h AT**

Technical drawing



Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	75 mm
Height	65 mm
Length	630 mm
Weight	1,04 kg

Bulk packaging

Quantity	20
Width	355 mm
Height	323 mm
Length	648 mm
Volume	0,068 m3
Weight	28 kg

Europallet

Quantity	240
Height	1500 mm
Quantity in layer	
Number of layers	
Bulk quantity	12
Weight	361 kg

LED line PRIME

Code: 479587-AW3HAT

EAN: 5905378212244

**Hermetic luminaire LINKER 4000K 21W
3150lm IP65 60cm gray PRIME
emergency module AW 3h AT**

Example application