

LED line LITE

Code: 471215

EAN: 5907777471215

LED bulb E14 3000K 8W 720lm 230V
180° C37 PC LITE



LED bulb E14 8W 3000K 720lm from LED line LITE is a modern light source characterized by high performance of 90 lm/W. It emits a pleasant white light with a colour temperature of 3000 K, perfectly forming a warm atmosphere. Thanks to the life span of 50,000 hours and the durability ratio of 0.9, it provides long-term use. The product features a wide viewing angle 180°, eliminating the flickering effect for greater comfort.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 8 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	90
Luminous flux	720 lm
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	180°
Lifespan	50 000 h
Power Factor	0,5
Number of on/off cycles	50000
Ambient temperature suitable for operation	-5÷40
For indoor use	Inside
Height	100
Fixture's diameter	37 mm
Material (housing)	Polycarbonate

LED line LITE


Code: 471215

EAN: 5907777471215

LED bulb E14 3000K 8W 720lm 230V

180° C37 PC LITE




Technical drawing



Light distribution

Additional product photos

Logistics data



Single packaging

Quantity	1
Width	40 mm
Height	40 mm
Length	104 mm
Weight	0,03 kg

Bulk packaging

Quantity	100
Width	245 mm
Height	200 mm
Length	395 mm
Volume	0,019 m3
Weight	3,4 kg
Comments	

Europallet

Quantity	7200
Height	1715 mm
Quantity in layer	1200
Number of layers	7
Bulk quantity	8400
Weight	285,6 kg

LED line LITE

Code: 471215

EAN: 5907777471215

**LED bulb E14 3000K 8W 720lm 230V
180° C37 PC LITE**

Example application