

LED line LITE

Code: 209602

EAN: 5905378209602

**LED bulb G9 3000K 12W 1160lm 230V
270° Ceramic LITE**



Luminaire LED Line G9 12W is an innovative bulb with a power of 12W and a light stream of 1160 lumens. It emits a pleasant warm light with a colour temperature of 3000 K, providing excellent lighting quality. It is characterized by high performance of 90 lm/W and a longevity of up to 30,000 working hours. SMD2835 technology and Ra=80 color reproduction factor guarantee faithful color reproduction.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 12 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	90
Luminous flux	1160 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	270 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Height	75
Fixture's diameter	19 mm
Colour	white
Material (housing)	Ceramics


LED line LITE

Code: 209602

EAN: 5905378209602

**LED bulb G9 3000K 12W 1160lm 230V
270° Ceramic LITE**

Technical drawing



Light distribution

Additional product photos




Logistics data




Single packaging

Width	20 mm
Height	20 mm
Length	66 mm
Weight	0,02 kg



Bulk packaging

Quantity	500
Width	580 mm
Height	255 mm
Length	175 mm
Volume	0,025 m3
Weight	13,03 kg



Europallet

Height	1785 mm
Quantity in layer	4000
Number of layers	7
Bulk quantity	28000
Weight	729,68 kg

LED line LITE

Code: 209602

EAN: 5905378209602

**LED bulb G9 3000K 12W 1160lm 230V
270° Ceramic LITE**

Example application