

LED line LITE

Code: 244766

EAN: 5901583244766

**LED bulb GU10 6500K 7W 600lm 230V
120° PC LITE**



LED bulb GU10 7W 6500K from LED line LITE is the most efficient lighting solution that delivers a 600 lm light stream. Its light colour of 6500 K guarantees cool and bright lighting, conducive to concentration. The product has a longevity of up to 50,000 hours and high performance of 85 lm/W. With a low flickering effect (SVM: 0.0035) and a Ra 80 color reproduction factor, it provides comfort for the eyes.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 7 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	85
Luminous flux	600 lm
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	120 °
Lifespan	50 000 h
Power Factor	0,5
Number of on/off cycles	50000
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	56
Fixture's diameter	50 mm
Material (housing)	Polycarbonate

LED line LITE


Code: 244766

EAN: 5901583244766

**LED bulb GU10 6500K 7W 600lm 230V
120° PC LITE**




Technical drawing

Light distribution



Additional product photos

Logistics data



Single packaging

Quantity	1
Width	650 mm
Height	30 mm
Length	30 mm
Weight	0,03 kg

Bulk packaging

Quantity	100
Width	270 mm
Height	140 mm
Length	525 mm
Volume	0,019 m3
Weight	4 kg
Comments	

Europallet

Quantity	4400
Height	1820 mm
Quantity in layer	400
Number of layers	13
Bulk quantity	5200
Weight	208 kg

LED line LITE

Code: 244766

EAN: 5901583244766

**LED bulb GU10 6500K 7W 600lm 230V
120° PC LITE**

Example application