

LED line PRIME

Code: 221154

EAN: 5905378221154

**I-connector mini for LUMICANTO
POWERTRACK busway black PRIME**

New

I-connector mini for LUMICANTO busway in white or black color from the LED line PRIME brand is a modern and functional solution for lighting systems. Made of high-quality plastic, it features solid construction and easy installation thanks to mounting on 3-circuit busway. Powered by 220-240V AC voltage, it stands out with a rated current of 16A.



Technical data

Parameter	Value
Warranty	5/7*
Voltage	• 220-240 V AC
IP protection rating	IP20
IEC protection class	I
Frequency of the supply voltage	50/60Hz

Parameter	Value
Ambient temperature suitable for operation	-5 ÷ 40
For indoor use	Inside
Height	27 mm
Power supply connection	no
Material (housing)	Plastic


LED line PRIME

Code: 221154

EAN: 5905378221154

**I-connector mini for LUMICANTO
POWERTRACK busway black PRIME**


Technical drawing



Light distribution

Additional product photos

Logistics data



Single packaging

Width	30 mm
Height	70 mm
Length	30 mm
Weight	0,03 kg

Bulk packaging

Quantity	300
Width	200 mm
Height	200 mm
Length	300 mm
Weight	7,2 kg

Europallet

Quantity	36000
Height	1700 mm
Quantity in layer	24
Number of layers	5
Bulk quantity	120
Weight	900 kg

LED line PRIME

Code: 221154

EAN: 5905378221154

**I-connector mini for LUMICANTO
POWERTRACK busway black PRIME**

Example application