LED line PRIME

Code: 228092

EAN: 5905378228092

Wall washer ALVERIS 3CCT (2.7/3/4K) 9W 900lm 60° square IP65 Black PRIME



The LED line ALVERIS 3CCT facade fixtures are reliable outdoor lighting with an IP65 degree of protection, designed to effectively highlight the architecture of buildings and garden spaces. The innovative color-changing feature and the choice of light direction (single-sided or double-sided) allow for perfect illumination matching the color of the facade. Made from durable, sun-resistant materials, they ensure years of trouble-free operation and impeccable aesthetics in all weather conditions.

IP 65

220-240V AC

Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	5
Power	• 9 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 2700 K • 3000 K • 4000 K
Colour of the light	CCT
Colour rendering index Ra	80
IP protection rating	IP65
IK protection rating	03
IEC protection class	II

Parameter	Value
Luminous efficacy	100
Luminous flux	900
Lifetime L70B50	35 000 h
Frequency of the supply voltage	50/60Hz
Beam angle	60°
Power Factor	>=0,9
Ambient temperature suitable for operation	`-20 ~45
For indoor use	Outside
Height	140 mm
Material (housing)	Polycarbonate

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**


LED line PRIME

Code: 228092


EAN: 5905378228092

Wall washer ALVERIS 3CCT (2.7/3/4K) 9W 900lm 60° square IP65 Black PRIME


Technical drawing



Light distribution



Additional product photos











Logistics data




Single packaging

Width	90 mm
Height	120 mm
Length	150 mm
Weight	0,902 kg



Bulk packaging

Quantity	20
Width	325 mm
Height	260 mm
Length	475 mm
Weight	18,71 kg



Europallet

Quantity	32
Height	1,9 m
Bulk quantity	20
Weight	630 kg

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**

LED line PRIME

Code: 228092

EAN: 5905378228092

Wall washer ALVERIS 3CCT (2.7/3/4K) 9W 900lm 60° square IP65 Black PRIME

Example application

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**