

LED line PRIME

Code: 205741

EAN: 5905378205741

**LED strip 784 COB 24V RGBW 4000K  
21W IP20 DIGITAL SPI 10mm 5m  
350lm/m PRIME**



LED COB 784 24V RGBW 21W DIGITAL SPI by LED line PRIME is a modern solution with high energy efficiency. Thanks to the use of COB diodes, it offers intense light in RGB+W colour with a total light stream of 350 lumens. Its durability L70B50 reaches 50,000 hours, which ensures long-term use. The tape is 10 mm wide and can be dimmed with the P943 IC connector, making it extremely versatile and functional.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	G
Warranty	5
Power	• 21 W / m
Voltage	• 24 V DC
Correlated colour temperature	• 4000 K
Colour of the light	RGB+W
Colour rendering index Ra	90
IP protection rating	IP20
IEC protection class	III
Cutting section	7,14 cm
Luminous efficacy	58
Luminous flux	350
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h
Survival factor	0,9
Dimmable function	SPI

Parameter	Value
Colour consistency in McAdam ellipses	≤3
PCB width	10 mm
Luminous flux (lm)	350
Current (Im)	0,875
Beam angle	120
LED type	COB
LED quantity	784
Compatible dimmer type	P943 IC
Laminate (colour)	White
Laminate (thickness)	2
Type of adhesive tape	3M 300 LSE
Lifespan	100 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷45
For indoor use	Inside
Height	3 mm

LED line PRIME

Code: 205741

EAN: 5905378205741

**LED strip 784 COB 24V RGBW 4000K  
21W IP20 DIGITAL SPI 10mm 5m  
350lm/m PRIME**


Technical drawing

Light distribution

Additional product photos




Logistics data




**Single packaging**

Quantity	5 m
Width	153 mm
Height	15 mm
Length	153 mm
Weight	0,181 kg
Comments	



**Bulk packaging**

Quantity	40
Width	320 mm
Height	180 mm
Length	360 mm
Volume	0,020 m <sup>3</sup>
Weight	8 kg
Comments	



**Europallet**

Quantity	2400
Height	1,90 m
Quantity in layer	240
Number of layers	10
Bulk quantity	60
Weight	505 kg

---

LED line PRIME

Code: 205741

EAN: 5905378205741

**LED strip 784 COB 24V RGBW 4000K  
21W IP20 DIGITAL SPI 10mm 5m  
350lm/m PRIME**

---

Example application