

LED line Code: 470270 EAN: 5907777470270

## LED line® GU10 8W 2700K 500lm 170-250V COB 12°





LED line bulb GU10 power 8 It emits a warm light at 2700 K, generating a light stream of 500 lm. Its design with a COB diode and a narrow 12° light angle allows precise lighting of selected areas. Thanks to the ceramic housing, it ensures high durability and efficient heat discharge. The bulb has a lifespan of up to 30,000 hours and endures as many as 50,000 cycles of switching on. The attribute is a low flickering factor, which improves the comfort of use.



#### **Technical data**

Parameter	Value
Voltage	• 170-250 V AC
Luminous efficacy	62
Colour of the light	White
Energy efficiency class 2019/2015	G
Luminous flux	500
Colour consistency in McAdam ellipses	<b>≤</b> 6
Warranty (years)	3
Survival factor	0.9
Lifetime L70B50	30 000 h
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	White
The lumen maintenance factor	96

Parameter	Value
Fixture's diameter	50 mm
Beam angle	12
Material (housing)	Ceramics
LED type	COB
Power Factor	0,5
Number of on/off cycles	50000
Colour consistency in McAdam ellipses	<b>≤</b> 6
Ambient temperature suitable for operation	-5÷40
For indoor use	Inside
Lamp's warm-up time to 60%	1s
Energy class	A+
Correlated colour temperature	• 2700 K
Power	• 8W



LED line Code: 470270 EAN: 5907777470270


## LED line® GU10 8W 2700K 500lm 170-250V COB 12°

#### **Technical drawing**



#### **Light distribution**


#### Luminous [cd/klm]





## Additional product photos



### Logistics data







Single packaging

**Bulk packaging** 

**Europallet** 

# MORE EFFICIENCY FOR THE LED WORLD



LED line Code: 470270 EAN: 5907777470270

## LED line® GU10 8W 2700K 500lm 170-250V COB 12°

**Example application**