

LED line LITE

product\_card.label\_product\_code: 475558  
product\_card.label\_product\_gtin: 5907777475558

LED line LITE Outdoor wall mounted luminaire LED 2x3W 4000K IP54 white CILINDER



product\_card.label\_technical\_data

| product_card.label_attribute_name     | product_card.label_attribute_value |
|---------------------------------------|------------------------------------|
| Colour of the light                   | White                              |
| Energy efficiency class 2019/2015     | G                                  |
| Colour consistency in McAdam ellipses | ≤6                                 |
| IP protection rating                  | IP54                               |
| Warranty (years)                      | 3                                  |
| Survival factor                       | 0.9                                |
| Lifetime L70B50                       | 30 000                             |
| Dimensions (L. x W x H.)              | 13,5x11,5x10cm                     |
| Frequency of the supply voltage       | 50/60Hz                            |
| Colour rendering index Ra             | 80                                 |
| The lumen maintenance factor          | 96 %                               |
| Beam angle                            | 0-120 °                            |
| Material (cover)                      | glass                              |
| Material (housing)                    | aluminum                           |

| product_card.label_attribute_name          | product_card.label_attribute_value |
|--------------------------------------------|------------------------------------|
| LED type                                   | 2835 SMD                           |
| LED quantity                               | 14                                 |
| Lifespan                                   | 30000                              |
| Power Factor                               | 0,5                                |
| Number of on/off cycles                    | 20000                              |
| Colour consistency in McAdam ellipses      | ≤6                                 |
| Ambient temperature suitable for operation | -20÷40 °C                          |
| For indoor and outdoor use                 | YES                                |
| IEC protection class                       | II                                 |
| IK protection rating                       | 05                                 |
| Power                                      | • 6 W                              |
| Voltage                                    | • 100-260 V AC                     |
| Correlated colour temperature              | • 4000 K                           |

LED line LITE


product\_card.label\_product\_code475558product\_card.label\_product\_gtin:5907777475558

LED line LITE Outdoor wall mounted luminaire LED 2x3W 4000K IP54 white CILINDER




product\_card.label\_dimensions

product\_card.label\_curve\_light

product\_card.label\_product\_gallery



product\_card.label\_logistic\_data



product\_card.label\_single\_package

|        |            |
|--------|------------|
| Width  | 110 mm     |
| Height | 78 mm mm   |
| Length | 110 mm mm  |
| Weight | 0,35 kg kg |
|        | 1          |

product\_card.label\_collective\_package

|                                 |             |
|---------------------------------|-------------|
| Number of pieces/tape in meters | 40 szt.     |
| pack zb                         |             |
| Width                           | 640 mm mm   |
| Height of collective packaging  | 460 mm      |
| Length                          | 400 mm mm   |
| Weight                          | 14,35 kg kg |
| Volume                          | 0,117 m3 m3 |

product\_card.label\_europalette

|                                  |             |
|----------------------------------|-------------|
| Number of pieces/tapes in meters | 840         |
| euro pallet                      |             |
| Quantity collective euro pallet  | 480         |
| Weight of a euro pallet          | 197,2 kg kg |
| Pallet height                    | 184 cm      |
| Quantity in 1 layer              | 120         |
| Number of layers                 | 4           |

LED line LITE

product\_card.label.product\_code: 475558 product\_card.label.product\_gtin: 5907777475558

LED line LITE Outdoor wall mounted  
luminaire LED 2x3W 4000K IP54 white  
CILINDER

product\_card.label.realization\_photo