MORE EFFICIENCY FOR THE LED WORLD



LED line LITE

12V IP20

Code: 477743

applications.

EAN: 5907777477743

LED line® Multipower 100-12 8,3A 100W LED line power supply Multipower 100W 12V is an advanced device with a high efficiency of 85%, offering 12V output voltage and a maximum current of 8.3A. Its design with a depth of only 18-20 mm allows easy installation in difficult places. The product is characterized by IP20 leak class, making it suitable for internal






Technical data

| Parameter | Value |
|-------------------------------|----------------|
| Voltage | • 220-240 V AC |
| Output current range | 8.3A |
| IP protection rating | IP20 |
| Input voltage frequency range | 50/60Hz |
| Rated current | 0,483 A |
| Voltage tolerance | 5%+/- |

| Parameter | Value |
|--|---------|
| Ambient humidity | 10-90% |
| Mounting type | surface |
| Power Factor | 0,9 |
| Ambient temperature suitable for operation | 25 |
| IEC protection class | II |
| Power | • 100 W |





CE

| Generated 01-06-2025 time 20:06 from the PIM B2B system - LED Lin | ne |
|---|----|
|---|----|

MORE EFFICIENCY FOR THE LED WORLD



LED line LITE


Code: 477743

Light distribution

EAN: 5907777477743


LED line® Multipower 100-12 8,3A 100W 12V IP20

Technical drawing




Additional product photos

Logistics data



Single packaging



Bulk packaging

Europallet

MORE EFFICIENCY FOR THE LED WORLD



LED line LITE

Code: 477743

EAN: 5907777477743

LED line® Multipower 100-12 8,3A 100W 12V IP20

Example application