

LED line PRIME

Code: 210189-DALI

EAN: 5905378221512

**Hermetic fixture RANGER 4000K 40W
7200lm IP66 120cm gray PRIME DALI**



RANGER 40W 4000K 7200lm is an excellent solution that provides high luminous efficiency at the level of 180 lm/W. It features an IP66 protection class, which guarantees resistance to dust and water, as well as an IK10 protection rating, ensuring impact resistance. Thanks to the use of SMD2835 diodes and a transparent polycarbonate diffuser, the fixture emits pleasant, neutral light.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	C
Warranty	5
Power	• 40 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP66
IK protection rating	10
IEC protection class	I
Luminous efficacy	180
Luminous flux	7200
The lumen maintenance factor	96
Lifetime L70B50	100 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	75000 h
L90B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	50000 h

Parameter	Value
Dimmable function	Dali
Frequency of the supply voltage	50/60Hz
Beam angle	120
LED type	SMD2835
LED quantity	276
Lifespan	100 000 h
Power Factor	0,9
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-25 ÷ 45
Height	70 mm
Colour	220-240 VAC
Material (housing)	Polycarbonate
Material (cover)	Polycarbonate
DALI	• YES


LED line PRIME

Code: 210189-DALI


EAN: 5905378221512

**Hermetic fixture RANGER 4000K 40W
7200lm IP66 120cm gray PRIME DALI**

Technical drawing



Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	85 mm
Height	75 mm
Length	1210 mm
Weight	1,92 kg

Bulk packaging

Quantity	12
Width	316 mm
Height	273 mm
Length	1232 mm
Volume	
Weight	28,7 kg

Europallet

Quantity	144
Height	1500 mm
Quantity in layer	
Number of layers	
Bulk quantity	12
Weight	369 kg

LED line PRIME

Code: 210189-DALI

EAN: 5905378221512

**Hermetic fixture RANGER 4000K 40W
7200lm IP66 120cm gray PRIME DALI**

Example application