

LED line PRIME


Code: 201057-CAW3HAT

EAN: 5905378216136

Hermetic luminaire LINKER 4000K 80W
12000lm IP65 150cm gray PRIME
emergency module CAW 3h AT CNBOP



LINKER 80W is a modern LED lighting with a colour temperature of 4000 K, emitting an impressive light stream of 12000 lm. With high energy efficiency of 150 lm/W and D efficiency class, it saves energy while maintaining intensive lighting. The product has a high degree of protection IP65, making it resistant to water and dust.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	80 W
Voltage	220-240 V AC
Correlated colour temperature	4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP65
IK protection rating	08
IEC protection class	II
Luminous efficacy	150
Luminous flux	12000
The lumen maintenance factor	96
Lifetime L70B50	100 000 h
Survival factor	0.9
Dimmable function	PWM

Parameter	Value
Colour consistency in McAdam ellipses	≤6
ULOR	3 %
Emergency module test	Autotest
Operating time in emergency mode	3 h
Frequency of the supply voltage	50/60Hz
Beam angle	120
Lifespan	100 000 h
Power Factor	0,95
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-25 ÷ 45
Height	61 mm
Colour	Grey
Material (housing)	Polycarbonate
Material (cover)	Polycarbonate
Emergency module	YES

LED line PRIME

Code: 201057-CAW3HAT

EAN: 5905378216136


Hermetic luminaire LINKER 4000K 80W
12000lm IP65 150cm gray PRIME
emergency module CAW 3h AT CNBOP

Technical drawing

Light distribution


Additional product photos

Logistics data




Single packaging

Quantity	1
Width	75 mm
Height	65 mm
Length	1570 mm
Weight	1,95 kg



Bulk packaging

Quantity	12
Width	288 mm
Height	246 mm
Length	1538 mm
Volume	0,102 m3
Weight	28,2 kg



Europallet

Quantity	144
Height	1750 mm
Quantity in layer	
Number of layers	
Bulk quantity	12
Weight	363 kg

LED line PRIME Code: 201057-CAW3HAT EAN: 5905378216136

**Hermetic luminaire LINKER 4000K 80W
12000lm IP65 150cm gray PRIME
emergency module CAW 3h AT CNBOP**

Example application