

LED line PRIME Code: 475459-LAW3HAT EAN: 5905378218383

### Panel 2in1 30W 4000K 3600lm 120x30 Emergency module PRIME LAW3HAT



LED panel 2in1 PRIME LAW3HAT with power of 30W provides a high light stream of 3600 lm. It is characterized by the colour of light 4000K, which favors natural and comfortable lighting. Thanks to the 2in1 construction, it is possible to mount and allow, which increases its versatility. IP20 protection class and IK2 protection level guarantee adequate durability in indoor conditions. In addition, the emergency module allows to operate for 3 hours in case of power failure.





#### **Technical data**

| Parameter                             | Value          |
|---------------------------------------|----------------|
| Operating time in emergency mode      | 3 h            |
| Emergency module test                 | Auto Test      |
| Voltage                               | • 220-240 V AC |
| Luminous efficacy                     | 120            |
| Colour of the light                   | White          |
| Energy efficiency class 2019/2015     | E              |
| Luminous flux                         | 3600           |
| Colour consistency in McAdam ellipses | ≤6             |
| Warranty (years)                      | 5              |
| IP protection rating                  | IP20           |
| Survival factor                       | 0.9            |
| Lifetime L70B50                       | 50 000 h       |
| Working current                       | 0,1449         |
| Dimmable                              | NO             |
| Frequency of the supply voltage       | 50/60Hz        |
| Colour rendering index Ra             | 80             |
| Colour                                | White          |
| The lumen maintenance factor          | 96             |

| Parameter                                  | Value                     |
|--|---------------------------|
| Beam angle                                 | 120                       |
| LGP  | PMMA                      |
| Material (cover)                           | polycarbonate             |
| Material (housing)                         | Aluminium                 |
| LED type                                   | JUFEI 4014                |
| LED quantity                               | 266                       |
| Power Factor                               | 0,9                       |
| Number of on/off cycles                    | 20000                     |
| Colour consistency in McAdam ellipses      | ≤6                        |
| Ambient temperature suitable for operation | -20÷45                    |
| Installation method                        | 2in1 recessed and surface |
| For indoor use                             | Inside                    |
| IEC protection class                       | II                        |
| IK protection rating                       | 02                        |
| Lamp's warm-up time to 60%                 | ls                        |
| Correlated colour temperature              | • 4000 K                  |
| Power                                      | • 30 W                    |



LED line PRIME Code: 475459-LAW3HAT EAN: 5905378218383

## Panel 2in1 30W 4000K 3600lm 120x30 Emergency module PRIME LAW3HAT


Technical drawing Light distribution


Additional product photos






Logistics data







Single packaging Bulk packaging Europallet

# MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME Code: 475459-LAW3HAT EAN: 5905378218383

## Panel 2in1 30W 4000K 3600lm 120x30 Emergency module PRIME LAW3HAT

**Example application**