

LED line LITE

Code: 200845

EAN: 5905378200845

**DOWNLIGHT MOLLY 4000K 9W 900lm square IP20 White LITE**



LED line LITE Downlight MOLLY 9W and 900 lm is a modern solution in a minimalistic square form. It is characterized by the colour of light 4000K, which provides natural color reproduction (Ra>80). Its effective power ranges from 90 to 110 lm/W, and the IP20 leak class protects against dust. Made of polycarbonate guarantees durability.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	3
Power	• 9 W
Voltage	• 170-260 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IEC protection class	II
Luminous efficacy	100
Luminous flux	900
The lumen maintenance factor	96
Lifetime L70B50	30 000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
LED type	SMD LED 2835
LED quantity	30
Power Factor	0.5
Number of on/off cycles	20000
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Mounting hole diameter	90-110
Height	26
Colour	White
Material (housing)	Polycarbonate


LED line LITE

Code: 200845


EAN: 5905378200845

**DOWNLIGHT MOLLY 4000K 9W 900lm square IP20 White LITE**

**Technical drawing**





**Light distribution**



**Additional product photos**



**Logistics data**



**Single packaging**

Quantity	1
Width	120 mm
Height	26 mm
Length	120 mm
Weight	0,122 kg

**Bulk packaging**

Quantity	100
Width	390 mm
Height	266 mm
Length	640 mm
Volume	0,015 m3
Weight	13,1 kg

**Europallet**

Quantity	2800
Height	1,9 m
Quantity in layer	400
Number of layers	7
Bulk quantity	28
Weight	397 kg

LED line LITE

Code: 200845

EAN: 5905378200845

**DOWNLIGHT MOLLY 4000K 9W 900lm  
square IP20 White LITE**

**Example application**

