

LED line PRIME


Code: 210493

EAN: 5905378210493

Track light LUMICANTO 6-20W CCT 36/60° black PRIME



Track light LUMICANTO 6-20W CCT 36/60° in black, is a modern LED line PRIME lighting setting. It uses innovative COB-Bridgelux diodes, characterized by high light performance of up to 110 lm/W and variable colour temperature: 3000 K, 4000 K and 6000 K. The luminaire provides excellent colour reproduction ($Ra \geq 90$) and a low flickering factor. With IP20 and IK06 certifications, it offers reliability in different conditions, and its durability is as high as 50,000 hours.



Technical data

Parameter	Value	Parameter	Value
Energy efficiency class 2019/2015	E	Colour consistency in McAdam ellipses	≤3
Warranty	5	Mounting type	3 phase rail
Power	• 6-20 W	Frequency of the supply voltage	50/60Hz
Voltage	• 220-240 V AC	Fixture's diameter	100 mm
Correlated colour temperature	• 3000 K • 4000K • 6000 K	Beam angle	60/36
Colour of the light	White	LED type	COB-Bridgelux
Colour rendering index Ra	90	LED quantity	1
IP protection rating	IP20	Power Factor	>0,7
IK protection rating	06	Number of on/off cycles	25000
IEC protection class	II	Ambient temperature suitable for operation	5÷40
Luminous efficacy	do 110	For indoor use	Inside
Luminous flux	620-2000	Colour	Black
The lumen maintenance factor	96	Material (housing)	Aluminium
Lifetime L70B50	50 000 h	Material (cover)	clear glass
Survival factor	0,9		


LED line PRIME

Code: 210493

EAN: 5905378210493

**Track light LUMICANTO 6-20W CCT
36/60° black PRIME**

Technical drawing




Light distribution


Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

LED line PRIME

Code: 210493

EAN: 5905378210493

**Track light LUMICANTO 6-20W CCT
36/60° black PRIME**

Example application