

LED line LITE

product_card.label_product_code: 201354
product_card.label_product_gtin: 5905378201354

LED line LITE Ceiling lamp PLAFON 12W
3000K 900lm IP44



product_card.label_technical_data

product_card.label_attribute_name	product_card.label_attribute_value
Luminous efficacy	75 lm/W
Colour of the light	White
Energy efficiency class 2019/2015	F
Luminous flux	900 lm
Colour consistency in McAdam ellipses	≤6
IP protection rating	IP44
Warranty (years)	3
Survival factor	0.9
Lifetime L70B50	30 000
Weight	240 g
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	White

product_card.label_attribute_name	product_card.label_attribute_value
The lumen maintenance factor	96 %
Lamp's diameter	260
Beam angle	120 °
LED type	SMD 2835
LED quantity	14
Colour consistency in McAdam ellipses	≤6
Ambient temperature suitable for operation	-20÷40 °C
For indoor and outdoor use	YES
IEC protection class	I
Height	58 mm
Power	• 12 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K

LED line LITE


product_card.label_product_code: 201354
product_card.label_product_gtin: 5905378201354

LED line LITE Ceiling lamp PLAFON 12W
3000K 900lm IP44




product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery



product_card.label_logistic_data



product_card.label_single_package

Width	300 mm
Height	300 mm mm
Length	70 mm mm
Weight	0,24 kg kg
	1

product_card.label_collective_package

Number of pieces/tape in meters	16 szt.
Width	620 mm mm
Height of collective packaging	320 mm
Length	620 mm mm
Weight	4,19 kg kg
Volume	0,123 m3 m3

product_card.label_europalette

Quantity collective euro pallet	96 szt.
Weight of a euro pallet	25,14 kg
Pallet height	1920 mm
Quantity in 1 layer	16 szt.
Number of layers	6

LED line LITE

product_card.label.product_codeproduct_card.label.product_gtin:
2013545905378201354

LED line LITE Ceiling lamp PLAFON 12W
3000K 900lm IP44

product_card.label.realization_photo



MicrosoftTeams-image-(3).png