

LED line LITE

Code: 211346

EAN: 5905378211346

Solar floodlight FLOWLITE 3CCT (3/4/6.5K) 20W 1000lm IP65 black LITE



FLOWLITE 20W CCT 1000lm LITE is a modern light source with a power of 20W, providing excellent brightness of 1000 lumens.

It allows to adjust the colour temperature in three ranges: warm (3000 K), neutral (4000 K) and cold (6500 K). The product has high energy efficiency, which translates into savings.



Technical data

Parameter	Value
Warranty	3
Power	• 20 W
Voltage	• 3.7 V DC
Correlated colour temperature	• 3000 K • 4000 K • 6500 K
Colour of the light	White
Luminous efficacy	50
Luminous flux	1000
Lifetime L70B50	35 000 h
ULOR	0 %
Loading time	8 h

Parameter	Value
Type of battery	3.7V 2200mAh 18650
Beam angle	120
Sensor type	PIR
LED quantity	40
Lifespan	35 000 h
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Outside
Thickness	42 mm
Material (cover)	clear glass


LED line LITE

Code: 211346

EAN: 5905378211346

**Solar floodlight FLOWLITE 3CCT
(3/4/6.5K) 20W 1000lm IP65 black LITE**

Technical drawing






Light distribution

Additional product photos



Logistics data



Single packaging

Quantity	1
Width	150 mm
Height	102 mm
Length	50 mm
Weight	0,4 kg

Bulk packaging

Quantity	20
Width	320 mm
Height	220 mm
Length	270 mm
Weight	9,6 kg

Europallet

Quantity	1200
Height	1,8 m
Quantity in layer	200
Number of layers	6
Bulk quantity	60
Weight	601 kg

LED line LITE

Code: 211346

EAN: 5905378211346

**Solar floodlight FLOWLITE 3CCT
(3/4/6.5K) 20W 1000lm IP65 black LITE**

Example application

