

LED line PRIME

Code: 201460

EAN: 5905378201460

**LED bulb GU10 4000K 5W 700lm 230V  
120° Ceramic PRIME**



LED bulb GU10 5W 4000K by LED line PRIME combines modern technology and high energy efficiency. It emits a luminous flux of 700 lumens at a power of only 5 W, which provides performance of 140 lm/W. The colour of light with a temperature of 4000 K creates pleasant, neutral lighting. Thanks to a wide lighting angle of 120° and a lack of flickering, the use is comfortable and healthy for the eyes.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 5 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	140
Luminous flux	700 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	GU10
Beam angle	120 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Height	55 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics
Material (cover)	glass


LED line PRIME

Code: 201460


EAN: 5905378201460

**LED bulb GU10 4000K 5W 700lm 230V  
120° Ceramic PRIME**

**Technical drawing**





**Light distribution**



**Additional product photos**



**Logistics data**



**Single packaging**

Quantity	1
Width	35 mm
Height	53 mm
Length	35 mm
Weight	0,06 kg

**Bulk packaging**

Quantity	100
Width	280 mm
Height	155 mm
Length	575 mm
Volume	
Weight	7 kg

**Europallet**

Quantity	6000
Height	1,90 m
Quantity in layer	2000
Number of layers	3
Bulk quantity	60
Weight	445 kg

LED line PRIME

Code: 201460

EAN: 5905378201460

**LED bulb GU10 4000K 5W 700lm 230V  
120° Ceramic PRIME**

**Example application**

