

LED line LITE

Code: 202009

EAN: 5905378202009

**LED tube T8 G13 4000K 9W 900lm 230V
270° 60cm Glass LITE**



LED light bulb T8 9W 4000K from LED line LITE is an innovative high performance light source. By emitting neutral, white light with a colour temperature of 4000K and a light stream of 900 lumens, it provides optimal space illumination. The product is characterized by a solid glass structure, which allows even distribution of light at an angle of up to 270°.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	2
Power	• 9 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IEC protection class	II
Luminous efficacy	100
Luminous flux	900 lm
The lumen maintenance factor	96
Lifetime L70B50	15 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Lamp's type	T8
Beam angle	270 °
LED type	SMD2835
LED quantity	36
Power Factor	>=0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	~ -20 ÷ 45
For indoor use	Inside
Material	Glass
Material (housing)	Glass
Material (cover)	glass


LED line LITE

Code: 202009


EAN: 5905378202009

**LED tube T8 G13 4000K 9W 900lm 230V
270° 60cm Glass LITE**


Technical drawing





Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	36 mm
Height	63 mm
Length	36 mm
Weight	0,12 kg

Bulk packaging

Quantity	25
Width	170 mm
Height	170 mm
Length	636 mm
Volume	0,022 m3
Weight	3,03 kg

Europallet

Quantity	1200
Height	1850 mm
Quantity in layer	
Number of layers	
Bulk quantity	48
Weight	264 kg

LED line LITE

Code: 202009

EAN: 5905378202009

**LED tube T8 G13 4000K 9W 900lm 230V
270° 60cm Glass LITE**

Example application