

LED line LITE

Code: 202290

EAN: 5905378202290

LED line LITE LED bulb E27 10W 4000K
1200lm 220-240V FILAMENT A60 GLOBE



product_card.label_technical_data

Parameter	Value	Parameter	Value
Luminous efficacy	120 lm/W	Lamp's diameter	60
Colour of the light	White	Beam angle	360 °
Energy efficiency class 2019/2015	E	Material (cover)	glass
Luminous flux	1200 lm	LED type	Filament
Colour consistency in McAdam ellipses	≤6	LED quantity	4
IP protection rating	IP20	Lifespan	25000
Warranty (years)	3	Number of on/off cycles	50000
Dimmable function	PWM	Colour consistency in McAdam ellipses	≤6
Survival factor	0.9	Ambient temperature suitable for operation	-20÷40 °C
Lifetime L70B50	25 000	For indoor use	Inside
Weight	35 g	Full box quantity	50 pc
Material	Glass	Lamp's warm-up time to 60%	1
Frequency of the supply voltage	50/60Hz	Height	108 mm
Colour rendering index Ra	80	Power	• 10 W
The lumen maintenance factor	96 %	Voltage	• 220-240 V AC
Lamp's type	A60	Correlated colour temperature	• 4000 K

LED line LITE

Code: 202290

EAN: 5905378202290

LED line LITE LED bulb E27 10W 4000K
1200lm 220-240V FILAMENT A60 GLOBE


product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery




product_card.label_logistic_data




Single packaging

Width	61 mm
Height	110 mm mm
Length	61 mm mm
Weight	0,03 kg kg
	1



Bulk packaging

Number of pieces/tape in meters pack zb	50 szt.
Width	325 mm mm
Height of collective packaging	240 mm
Length	325 mm mm
Weight	2,85 kg kg
Volume	0,025 m3 m3



Europallet

Quantity collective euro pallet	2400 szt.
Weight of a euro pallet	136,8 kg
Pallet height	1920 mm
Quantity in 1 layer	300 szt.
Number of layers	8

LED line LITE Code: 202290 EAN: 5905378202290

LED line LITE LED bulb E27 10W 4000K
1200lm 220-240V FILAMENT A60 GLOBE

Example application