

LED line PRIME

Code: 221284

EAN: 5905378221284

**Power terminal for LUMICANTO
POWERTRACK busway right white
PRIME**

New

Power terminal for LUMICANTO busway right white or black is a modern solution with high functionality. It features operating voltage 220-240V AC and rated current 16A, ensuring efficiency and safety of use. The housing made of plastic guarantees durability, and electrical protection class I raises the safety level of the installation.



Technical data

Parameter	Value
Warranty	5/7*
Voltage	• 220-240 V AC
IP protection rating	IP20
IEC protection class	I
Frequency of the supply voltage	50/60Hz

Parameter	Value
Ambient temperature suitable for operation	-5 ÷ 40
For indoor use	Inside
Height	33 mm
Power supply connection	yes
Material (housing)	Plastic


LED line PRIME

Code: 221284

EAN: 5905378221284

**Power terminal for LUMICANTO
POWERTRACK busway right white
PRIME**



Technical drawing



Light distribution

Additional product photos

Logistics data



Single packaging

Width	30 mm
Height	100 mm
Length	30 mm
Weight	0,061 kg

Bulk packaging

Quantity	100
Width	300 mm
Height	300 mm
Length	300 mm
Weight	5,6 kg

Europallet

Quantity	4000
Height	1700 mm
Quantity in layer	8
Number of layers	5
Bulk quantity	40
Weight	260 kg

LED line PRIME

Code: 221284

EAN: 5905378221284

**Power terminal for LUMICANTO
POWERTRACK busway right white
PRIME**

Example application