

LED line PRIME

Code: 209633

EAN: 5905378209633

**LED bulb GU10 3000K 10W 1400lm 230V  
120° Ceramic PRIME**



LED GU10 LED line PRIME 10 In a warm white light with a colour temperature of 3000 K, it provides exceptional lighting quality. The total luminous flux of 1400 lm guarantees energy efficiency in Class D. Thanks to the technology used, the product has a long lifespan of up to 30,000 hours and a minimal flickering effect, providing comfort of use.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 10 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	140
Luminous flux	1400 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Lamp's type	GU10
Beam angle	120 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Height	55 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics


LED line PRIME

Code: 209633

EAN: 5905378209633

**LED bulb GU10 3000K 10W 1400lm 230V  
120° Ceramic PRIME**

**Technical drawing**



**Light distribution**

**Additional product photos**




**Logistics data**




**Single packaging**

Width	50 mm
Height	63 mm
Length	50 mm
Weight	0,063 kg



**Bulk packaging**

Quantity	100
Width	280 mm
Height	155 mm
Length	575 mm
Volume	0,024 m <sup>3</sup>
Weight	7 kg



**Europallet**

Quantity	6000
Height	1860 mm
Quantity in layer	
Number of layers	
Bulk quantity	60
Weight	450 kg

LED line PRIME

Code: 209633

EAN: 5905378209633

**LED bulb GU10 3000K 10W 1400lm 230V  
120° Ceramic PRIME**

**Example application**

