

LED line LITE

Code: 201088

EAN: 5905378201088

LED line LITE Road luminaire  
STREETLITE 150W 4000K 15000lm grey



product\_card.label\_technical\_data

| Parameter                             | Value    | Parameter                                  | Value          |
|---------------------------------------|----------|--------------------------------------------|----------------|
| ULOR                                  | 0 %      | Beam angle                                 | 130 x 75 °     |
| Luminous efficacy                     | 100 lm/W | Material (cover)                           | polycarbonate  |
| Colour of the light                   | White    | Material (housing)                         | aluminum       |
| Energy efficiency class 2019/2015     | E        | LED type                                   | SMD LED 2835   |
| Luminous flux                         | 15000 lm | LED quantity                               | 162            |
| Colour consistency in McAdam ellipses | ≤6       | Power Factor                               | 0,9            |
| IP protection rating                  | IP65     | Colour consistency in McAdam ellipses      | ≤6             |
| Warranty (years)                      | 3        | Ambient temperature suitable for operation | -40÷50 °C      |
| Survival factor                       | 0.9      | For indoor and outdoor use                 | YES            |
| Lifetime L70B50                       | 36 000   | IEC protection class                       | I              |
| Weight                                | 1714 g   | Lamp's warm-up time to 60%                 | 1              |
| Mounting type                         | mixed    | Length                                     | 628 mm         |
| Frequency of the supply voltage       | 50/60Hz  | Width                                      | 233 mm         |
| Colour rendering index Ra             | 80       | Height                                     | 98 mm          |
| CRI colour rendering index            | 80       | Power                                      | • 150 W        |
| Colour                                | Grey     | Voltage                                    | • 220-240 V AC |
| The lumen maintenance factor          | 96 %     | Correlated colour temperature              | • 4000 K       |

LED line LITE

Code: 201088


EAN: 5905378201088

LED line LITE Road luminaire  
STREETLITE 150W 4000K 15000lm grey




product\_card.label\_dimensions

product\_card.label\_curve\_light

product\_card.label\_product\_gallery



product\_card.label\_logistic\_data



Single packaging

|        |            |
|--------|------------|
| Width  | 240 mm     |
| Height | 103 mm mm  |
| Length | 635 mm mm  |
| Weight | 1,73 kg kg |

Bulk packaging

|                                         |             |
|-----------------------------------------|-------------|
| Number of pieces/tape in meters pack zb | 3 szt.      |
| Width                                   | 645 mm mm   |
| Height of collective packaging          | 255 mm      |
| Length                                  | 329 mm mm   |
| Weight                                  | 6,7 kg kg   |
| Volume                                  | 0,054 m3 m3 |

Europallet

|                                              |             |
|----------------------------------------------|-------------|
| Number of pieces/tapes in meters euro pallet | 63          |
| Quantity collective euro pallet              | 63 szt.     |
| Weight of a euro pallet                      | 140,7 kg kg |
| Pallet height                                | 1785 mm     |
| Quantity in 1 layer                          | 9 szt.      |
| Number of layers                             | 7           |

LED line LITE

Code: 201088

EAN: 5905378201088

**LED line LITE Road luminaire**  
**STREETLITE 150W 4000K 15000lm grey**

**Example application**



Streetlite-realizacja.png