

LED line PRIME

Code: 216846

EAN: 5905378216846

**Panel Backlit 4CCT (2.7/3/4/5K)  
34/36/38/40W 5300lm UGR<19 60x60cm  
white PRIME**



The Backlit Panel in the Power Switch + 4CCT version is a modern fixture designed for demanding office, educational, and commercial spaces. With **power adjustment in 4 ranges: (34W / 36W / 38W / 40W)** and **four light color settings (2700K / 3000K / 4000K / 5000K)**, you can easily adjust the parameters to specific conditions and user needs.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	C
Warranty	5/7*
Power	<ul style="list-style-type: none"> <li>• 34 W</li> <li>• 36 W</li> <li>• 38 W</li> <li>• 40 W</li> </ul>
Voltage	<ul style="list-style-type: none"> <li>• 220-240 V AC</li> </ul>
Correlated colour temperature	<ul style="list-style-type: none"> <li>• 2700-3000-4000-5000 K</li> </ul>
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IK protection rating	03
IEC protection class	II
Luminous efficacy	133
Luminous flux	5300

Parameter	Value
Lifetime L70B50	75 000 h
Frequency of the supply voltage	50/60Hz
Beam angle	90
LED type	SMD 2835
LED quantity	128
Number of on/off cycles	25000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-10÷45
For indoor use	Inside
Height	36 mm
Material (housing)	Aluminium
Material (cover)	Polystyrene


LED line PRIME

Code: 216846


EAN: 5905378216846

**Panel Backlit 4CCT (2.7/3/4/5K)  
34/36/38/40W 5300lm UGR<19 60x60cm  
white PRIME**

**Technical drawing**



**Light distribution**



**Additional product photos**



**Logistics data**



**Single packaging**

Quantity	1
Width	620 mm
Height	39 mm
Length	603 mm
Weight	2,1 kg

**Bulk packaging**

Quantity	6
Width	645 mm
Height	265 mm
Length	625 mm
Weight	12,5 kg

**Europallet**

Quantity	66
Height	1900 mm
Quantity in layer	
Number of layers	
Bulk quantity	11
Weight	170 kg

---

LED line PRIME

Code: 216846

EAN: 5905378216846

**Panel Backlit 4CCT (2.7/3/4/5K)  
34/36/38/40W 5300lm UGR<19 60x60cm  
white PRIME**

---

Example application