

LED line PRIME

Code: 210721

EAN: 5905378210721

Connector T for 3 phase track
LUMICANTO right white with feeding
option PRIME

The T-connector for the LUMICANTO tube is an innovative solution, ideal for professional lighting systems. Made of high quality plastic, it ensures durability and reliability in operation. With 220-240V DC working voltage and 16A rated current, it combines functionality with aesthetics. Available in an elegant white color, it harmoniously fits into a variety of arrangements.



5
WARRANTY

7
WARRANTY

IP
20

CE

Technical data

Parameter	Value
Warranty	5/7*
IEC protection class	I
Rated power	220-240V DC
Rated current	16A
Mounting type	3 phase rail
Frequency of the supply voltage	50/60Hz

Parameter	Value
Ambient temperature suitable for operation	5÷40
Height	32
Power supply connection	yes
Equivalent	XTS 39
Colour	White
Material (housing)	Plastic

LED line PRIME

Code: 210721

EAN: 5905378210721

Connector T for 3 phase track

LUMICANTO right white with feeding

option PRIME


Technical drawing

Light distribution


Additional product photos




Logistics data



Width	160 mm
Height	30 mm
Length	100 mm
Weight	0,14 kg



Quantity	50
Width	250 mm
Height	200 mm
Length	300 mm
Volume	0,015 m3
Weight	7,35 kg



Height	1750 mm
Quantity in layer	800
Number of layers	7
Bulk quantity	5600
Weight	823,2 kg

LED line PRIME

Code: 210721

EAN: 5905378210721

**Connector T for 3 phase track
LUMICANTO right white with feeding
option PRIME**

Example application