

LED line PRIME

Code: 210875

EAN: 5905378210875

Sling 8m with self-regulation for 3 phase track LUMICANTO / LUMICANTO POWERTRACK black PRIME

8m suspension with auto-regulation for LUMICANTO rail in black by LED line PRIME is a functional element that provides a stable and aesthetic fixing of the lighting installation. Made of high quality materials, it is characterized by solid design and attention to detail. Thanks to the possibility of adjustment of length allows flexible installation in different spaces.



5  
WARRANTY

7  
WARRANTY

IP  
20

CE

Technical data

| Parameter     | Value        |
|---------------|--------------|
| Warranty      | 5/7*         |
| Sling length  | 800 cm       |
| Mounting type | 3 phase rail |

| Parameter                                  | Value |
|--------------------------------------------|-------|
| Ambient temperature suitable for operation | 5÷40  |
| Power supply connection                    | none  |
| Colour                                     | Black |

LED line PRIME

Code: 210875

EAN: 5905378210875

Sling 8m with self-regulation for 3 phase track LUMICANTO / LUMICANTO POWERTRACK black PRIME


Technical drawing

Light distribution

Additional product photos




Logistics data




Single packaging

|        |         |
|--------|---------|
| Width  | 60 mm   |
| Height | 100 mm  |
| Length | 60 mm   |
| Weight | 0,07 kg |



Bulk packaging

|          |          |
|----------|----------|
| Quantity | 100      |
| Width    | 240 mm   |
| Height   | 220 mm   |
| Length   | 300 mm   |
| Volume   | 0,015 m3 |
| Weight   | 7,7 kg   |



Europallet

|                   |          |
|-------------------|----------|
| Height            | 1760 mm  |
| Quantity in layer | 1200     |
| Number of layers  | 8        |
| Bulk quantity     | 9600     |
| Weight            | 566,4 kg |

LED line PRIME

Code: 210875

EAN: 5905378210875

**Sling 8m with self-regulation for 3  
phase track LUMICANTO / LUMICANTO  
POWERTRACK black PRIME**

Example application