

LED line PRIME




Code: 241734-II

EAN: 5905378201842

LED bulb E27 2700K 13W 1820lm 230V
280° A65 Ceramic PRIME



LED bulb E27 13W 2700K 182lm from LED line PRIME is an innovative solution in the lighting segment. It is characterized by a power of 13 W and an impressive light stream of 1820 lumens, which provides bright and comfortable light. The colour temperature of the light at the level of 2700 K creates a warm atmosphere. The product is distinguished by the energy efficiency class D and high light performance of 140 lm/W.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 13 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	140
Luminous flux	1820 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Lamp's type	A65
Beam angle	280 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	115
Fixture's diameter	65 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics
Material (cover)	glass

LED line PRIME

Code: 241734-II


EAN: 5905378201842

LED bulb E27 2700K 13W 1820lm 230V

280° A65 Ceramic PRIME

Technical drawing




Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	130 mm
Height	185 mm
Length	130 mm
Weight	0,07 kg

Bulk packaging

Quantity	100
Width	360 mm
Height	305 mm
Length	705 mm
Volume	0,077 m3
Weight	8 kg
Comments	

Europallet

Quantity	25000
Height	1830 mm
Quantity in layer	300
Number of layers	6
Bulk quantity	1800
Weight	144 kg

LED line PRIME

Code: 241734-II

EAN: 5905378201842

**LED bulb E27 2700K 13W 1820lm 230V
280° A65 Ceramic PRIME**

Example application