

LED line PRIME

Code: 211025

EAN: 5905378211025

LED line PRIME LED strip 528 COB 24V 3000K 14W



LED 528 COB 5 meters long and 14 watts delivers excellent light efficiency at 100 lm/W. It emits warm light with a colour temperature of 3000 K, which introduces a cozy atmosphere inside the rooms. Powered by a voltage of 24 V DC, it has a high durability of up to 50,000 hours. With a CRI of 90, it maps colors naturally.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	5
Power	<ul style="list-style-type: none">14 W / m
Voltage	<ul style="list-style-type: none">24 V DC
Correlated colour temperature	<ul style="list-style-type: none">3000 K
Colour of the light	White
Colour rendering index Ra	90
IP protection rating	IP20
IEC protection class	III
Cutting section	4,6 cm
Luminous efficacy	100
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
Survival factor	0.9
Dimmable function	PWM

Parameter	Value
Colour consistency in McAdam ellipses	≤3
Wire length	200 mm
Luminous flux (lm)	1400
Current (Im)	0,58
Beam angle	180
LED type	COB
LED quantity	2640
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	2
LED quantity (lm)	528
Type of adhesive tape	3M 300 LSE
Ambient temperature suitable for operation	-30÷45
For indoor use	Inside

LED line PRIME

Code: 211025

EAN: 5905378211025

**LED line PRIME LED strip 528 COB 24V
3000K 14W**

Technical drawing

Light distribution

Additional product photos

Logistics data



Single packaging



Bulk packaging



Europallet

LED line PRIME

Code: 211025

EAN: 5905378211025

**LED line PRIME LED strip 528 COB 24V
3000K 14W**

Example application