


LED line PRIME wall remote for controller VARIANTE RGBW/RGBCCT



Unlimited controller grouping capability

Regardless of the model, we guarantee full compatibility and ease of use. The VARIANTE controller has a unique interface and is very easy to use, and with the grouping function, any number of VARIANTE controllers can be assigned to each zone.

Precise control

With the remote, you can precisely set one of the many possible brightness levels of each color of the LED strip. In addition to classic control with the remote, we offer the option to manage your device via the TUYA app. Gain full access and control over your lighting anytime, anywhere.

Safety

Each VARIANTE remote is paired with the controller by the user using a unique code value. This prevents accidental interference.

The range of the remote is up to 20m.

The remote operates at a radio frequency of 2.4GHz.

Wall-mounted remotes are characterized not only by modern design but also by solid construction. We offer a 5-year warranty, reflecting the quality of our products.

Thanks to its wall-mounted location, the remote is always in its place. Moreover, it is powered directly from the 230V network, eliminating the need for regular battery replacement.



Manufacturer issues a 5-year warranty for this product.



Compatible with LED line® VARIANTE controllers with the TUYA system.



Ambient temperature suitable for operation




Voltage range and voltage type

$20 \div 60^\circ$

Parameter	Value
Working power	<2 W
Warranty (years)	5
RF distance	≤ 20 m
RF frequency	2.4 GHz
Supply voltage range and voltage type	90 - 265V AC


Parameter	Value
Ambient temperature suitable for operation	$-20 \div 60^\circ\text{C}$
Length	34 mm
Width	86 mm
Height	86 mm

Single packaging



88
88
40
1

Bulk packaging



Europallet

